

BUDENE[®] 1207 / 1208**CHEMICAL DESCRIPTION**

BUDENE[®] 1207 is a solution polymerized high cis-1,4 polybutadiene stabilized with a non-staining antioxidant. BUDENE[®] 1208 is a lower Mooney version of BUDENE[®] 1207. (CAS Reg. N° 9003-17-2)

These polymers are produced using a stereospecific catalyst which controls molecular weight distribution and provides a highly linear polymer.

APPLICATIONS

BUDENE[®] 1207 and 1208 are typically blended with other elastomers to help achieve benefits in applications requiring enhanced:

- Abrasion resistance
- Flex-cracking resistance
- Resilience
- Low temperature properties

BUDENE[®] 1207 and 1208 have properties that can help processing at low mill temperatures.

Application areas have included:

- Tire compounds
- Automotive and conveyor belts
- Hoses and tubes
- Shoe products
- Sponge rubber
- Mechanical goods
- Sporting goods

TYPICAL PROPERTIES

	BUDENE[®] 1207	BUDENE[®] 1208
Color	light amber	light amber
Mooney ML1+4 @ 100°C	55	46
Onset Tg, °C	-104	-104
Cis 1,4, Content, %	97	97
Volatiles, %	0.5 max	0.5 max
Specific Gravity	0.91	0.91
Stabilizer	non staining	non staining

PACKAGING**Cardboard Container**

- Three cell cardboard boxes contain 24 - 80 lb film wrapped bales.
 - Dimensions: 50" L x 31.5" W x 55" H
 - Weight: Gross: 2044 lb, Net: 1920 lb

Returnable Container

- In select areas, returnable containers may be available.
- Returnable containers are collapsible aluminum containers that contain 36 – 80 lb film wrapped bales.
- Contact your sales representative for details.
- Other packaging types may be available for specific volumes and destinations.

Goodyear International Corporation

1452 East Archwood Avenue
Akron, Ohio, 44306-3296 – USA
1-800-548-8107

WARRANTY: Unless sold without warranty, this product is warranted to conform to Goodyear's applicable specifications in effect at the date of shipment. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. NO OTHER WARRANTY OF ANY KIND WHATSOEVER, EITHER ORAL OR WRITTEN, INCLUDING IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHER WARRANTY OF QUALITY IS EITHER EXPRESSED OR IMPLIED FOR THIS PRODUCT. GOODYEAR SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL AND/OR CONSEQUENTIAL DAMAGES, EVEN IF GOODYEAR HAS BEEN NOTIFIED OF THE POTENTIAL OF SUCH A LOSS OR CLAIM OR FOR ANY AMOUNT IN EXCESS OF THE APPLICABLE PURCHASE PRICE. This warranty is null and void should the product be subject to abuse, modification, misused or mishandled.

©Trademark, The Goodyear Tire & Rubber Company